



Inspection Report

Scott Edwards
P. O. Box 1198
Pilot Point, TX 76258

Customer ID: 27405
Certificate: 74-C-0614
Site: 001
Scott Edwards

Type: ROUTINE INSPECTION
Date: Oct-05-2015

2.40 (b) (4)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The licensee allowed local animal control officers to euthanize a whitetail deer at the facility on June 26, 2015. The circumstances were that the licensee used ketamine to tranquilize and/or sedate the animal. The licensee was not able to tell the inspectors the euthanasia drug used. The euthanasia material was administered IC (intra-cardiac) by the animal control officers according to the licensee. The current program of veterinary care does not state that euthanasia can be carried out by these persons and does not list this method as an approved method by the attending veterinarian. The program of veterinary care did not indicate who would be performing the methods of euthanasia nor the species to be euthanized. The program lists the use of pentobarbital IV or IM with no dosage. The attending veterinarian must approve in writing the methods of euthanasia to be performed, who will perform the euthanasia of regulated species and said persons must be properly trained in the methods of euthanasia. It should also reflect drug name, route and dosage.

Correct by October 30, 2015

3.125 (a)

FACILITIES, GENERAL.

The back wall of the bobcat enclosure has rusted and started flaking off at the bottom of the wall. Rust prevents it from being properly sanitized. The flaking of the rust has exposed sharp points that can potentially cause harm to the animal enclosed.

The zebra enclosure has a wooden fence inside the main enclosure that has rotted and sections of the fence are partially down. On one of the sections, there is a piece of the wooden fence that has broken and exposed pointed end. The exposed broken pieces of the fence can be hazardous to the animals enclosed and potentially cause injury. The enclosure must be maintained in good repair to protect the animals from injury.

The capybara enclosure has an empty pool that is not in use. The licensee has put plywood on top of the pool to cover it. The corners of the plywood have been chewed on excessively causing the plywood to curl up exposing large gaps into the empty pool. There are exposed screws that had held the plywood down

Prepared By:

BRYAN IRWIN

BRYAN IRWIN, A.C.I.

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 6081

Feb-03-2016

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-03-2016



Inspection Report

that are exposed. The gaps in the plywood are large enough for the animal enclosed to fall into and can potentially cause injury to the animals enclosed.

Licensee must maintain outdoor facilities so that it is structurally sound and in good repair to protect animals from injury.

*Non-compliances were corrected at the time of inspection

Inspection was conducted by APHIS personnel with facility representative.

Exit interview was conducted by phone with facility representative.

Prepared By:

BRYAN IRWIN

BRYAN IRWIN, A.C.I.

USDA, APHIS, Animal Care

Title:

ANIMAL CARE INSPECTOR

Inspector 6081

Date:

Feb-03-2016

Received By:

(b)(6),(b)(7)(c)

Date:

Feb-03-2016